# E.O. Smith

Department of Anthropology Emory University Atlanta, GA 30322

Key words: Complex reflex, yawning, gaping, proximate causation, ultimate causation

# Yawning: An Evolutionary Perspective

Yawning is a ubiquitous activity among humans, nonhuman primates, mammals, birds and other vertebrates. Comparative analysis suggests that yawning has two major features: (1) communication — whereby the behavior of other individuals is affected, and (2) direct physiological benefit — whereby the organism is receiving some direct physiological benefit from yawning. Various functional hypotheses used to explain yawning in an evolutionary context are reviewed. The contagious nature in humans and the manifest lack of contagion in other species suggests that yawning in humans has a different and as yet poorly understood evolutionary history.

## 2. Introduction

"... Seeing a dog and horse and man yawn, makes me feel how much all animals are built on one structure."

#### Charles Darwin, 1838, M Notebook

Evolutionary analyses of human behavior have illuminated a number of fundamental questions (i.e., foraging, mating systems, communication, etc.), and a wide array of behaviors have been targeted for investigation (infanticide, polygyny, child abuse, homicide, etc.). In general, investigation has centered on complex behaviors organized into broader functional units based on their context, or in some cases, their outcome. Little attention has been given to more basic behavioral units (Scott, 1950) (e.g., ingestive, eliminative) that serve as the foundation for all more complicated patterns. The ubiquity of these basic patterns across animal species may have contributed to their perceived lack of importance in understanding higher order and more complex behavior patterns. On the other hand, the systematic analysis of basic motor/behavior patterns [e.g., fixed action pattern (Lorenz, 1954; Lorenz & Tinbergen, 1938) or modal action pattern (Barlow, 1968)], characterized by: (1) being species typical (within classes of animals the behavior is typically found in all individuals); (2) consisting of movements that occur simultaneously or sequentially with a high degree of predictability; and (3) being repeatedly recognizable (Slater, 1978, p. 14) may be quite productive.

Evolutionary theory has rendered some aspects of human behavior, that were previously thought to be solely influenced and directed by cultural specific patterns of behavior, to be influenced by a long evolutionary history. It is true, however, that there are still a number of human behaviors that remain puzzling in spite of the analytical power of Darwinian evolutionary theory. Relatively little attention has been paid to the study of fixed or modal action patterns in humans, with one notable exception. One of the frequently overlooked behaviors in the study of human behavior, yawning is a virtually ubiquitous behavior among all vertebrate species (Heusner, 1946). Alcock (1993, p. 26) noted that a human yawn is one of the best

192 SMITH

examples of a fixed or modal action pattern in our species. The study of yawning, particularly in humans, is important because (1) it is a behavior pattern that we share with all vertebrates, (2) it occurs in several different contexts in essentially the same form, and (3) it is contagious (Moore, 1942; Provine, 1996), unlike sneezing, coughing or crying.

Previous studies of yawning in humans have centered on yawning and activity levels of individuals (Baenninger, Binkley & Baenninger, 1996; Provine, Hamernik & Curchack, 1987). In general, little attention has been paid to the evolution of yawning and in particular the identification of its ultimate function, although quite a bit of work has focused on its proximate or more immediate causation (Alcock & Sherman, 1994). Moreover, the ontogeny of yawning has been little studied, even though it has been reported to regularly occur in utero by the 15<sup>th</sup> week of pregnancy in humans (de Vries, Visser, & Prechtl, 1982; Egerman & Emerson, 1996; Sepulveda & Mangiamarchi, 1995; Sherer, Smith & Abramowicz, 1991). Taken together these observations suggest that the evolution of yawning is a potentially important and largely overlooked behavior.

# 3. Description and Classification

A yawn is a very deep inspiration, taken with jaws wide open which ventilates all alveoli (not the case with normal quiet breathing) (Marieb, 1995). Yawning is characterized by a long inspiration followed by shorter expiration of air. Yawns are a strong prolonged reflex (3-11 seconds) which involves a strong and coordinated contraction of a complex array of pharyngeal and associated muscles (Barbizet, 1958; Provine, Hamernik & Curchack, 1987). Yawning is closely related to the gape, but differs in a number of crucial components. The principle difference is the combination of two components: a respiratory and a mouth-gape component. Gaping simply involves a large opening of the mouth and stretching of the muscles of the mandible and maxilla, and thus is differentiated from yawning behavior seen in rodents, carnivores, primates and possibly birds and herbivores (Heusner, 1946). Gaping has been reported in a wide variety of vertebrate species [fish (Baenninger, 1987; Baerends & Baerends-van Roon, 1950; Morris, 1954; Peiper, 1932; Rasa, 1971), reptiles and amphibians (Cramer, 1924; McCutcheon, 1970)]but may only be analogous to yawning and not a true homologue. According to Heusner (1946), it is unclear whether birds (Delius, 1967; Sauer & Sauer, 1967) as well as herbivores (Barbizet, 1958; Cramer, 1924) actually yawn. Nevertheless, yawning has been described in carnivores (Bekoff, 1974; Leyhausen, 1979) and in a variety of primate species (Anderson & Wunderlich, 1988; Deputte, 1994; Hadidian, 1980: Hinde & Rowell, 1962; Scucchi, Maestripieri & Schino, 1991; Van Lawick-Goodall, 1968; Wolfheim & Rowell, 1972).

Investigators have attempted to identify and classify yawns, but have been largely unsuccessful in categorizing yawning behavior into clearly defined types based on fundamental motoric differences in yawning patterns. Attempts at classification have largely relied on functional differentiation of context to define the different types of yawns (Hadidian, 1980). Deputte (1994) recognized two contexts for yawns, the 'rest yawn' observed in transitions from rest to waking states and is synonymous with 'true yawns' (Altmann, 1967; Angst, 1975), and the 'emotion yawn' or the 'tension yawn' (Bertrand, 1969; Hinde & Rowell, 1962; Redican, 1975). Deputte (1994) notes that the 'emotion yawn' could also be called the social yawn since it is elicited by a number of social signals. Charles Darwin recognized that yawning occurred in several different contexts. He noted that, "... baboons often show their passion and threaten their enemies in a very odd manner, namely, by opening their mouths wi-

as in the act of yawning...Some species of *Macacus* and *Cercopithecus* behave in the same manner" (Darwin, 1872, p.136-7).

A cross-specific analysis of yawning suggests two broad functional explanations. One mers on the immediate physiological circumstances that are implicated in yawning; and the niner a possibly secondarily derived social communicatory function. Investigators do not are on the functions of yawning, nor on its importance in the behavioral repertoire of any racicular species. van Hooff (1967), in an important early review of facial displays in Old world monkeys and apes, does not include yawning as a social communicatory behavior. Write Redican (1975), in a exhaustive review of facial expressions in nonhuman primates, invokes an entire section (pps.147-53) to the discussion of yawning,

Based solely on observational data, these two types of yawns (rest yawn and true yawn) are motorically identical. In macaques, yawns are described as having three basic components: oral, postural and respiratory. These components are distinguished on behavioral bases since there is no temporal disruption in a yawn. In general, prior to the yawn the head is lifted nackward and rotated sideways, the mouth is slightly open, but the teeth are not exposed. The sind phase of the yawn is characterized by continued upward motion of the head, the mouth sindly open, often exposing the teeth and gums. A deep inhalation is also part of this phase. In the final phase, the head is lowered, the mouth closed rapidly and the lips covered with the testh (Deputte, 1994). In a discussion of baboon behavior, Altmann (1967) suggests that one distinguish true yawns from those with socially implied functions, but only by context. The yawns are presumably stimulated by a lowered oxygen tension in the blood, while social values express conflict, anxiety or threat. The external manifestations of these two types of the yawn reaches a climax the head may be thrown back (Redican, 1975).

While yawning, the mouth opens widely and roundly, usually fairly slowly, typically closing more swiftly. A swelling of the throat is usually visible, accompanied by a deep breath met closing of the eyes and lowering of the brows (Brannigan & Humphries, 1972, p. 58). The same have an average duration of 6 seconds, are difficult to stop midperformance and are interious, stimulating yawning in other humans that observe or even hear the yawner. One of the most interesting characteristics of human yawning behavior is its high degree of contament. After observing, hearing, reading or thinking about yawning evokes a yawn (Provine, 1986, 1989a,b). Oddly, this contagious feature of yawning has not been observed in nonhuman primates (Deputte, 1978). In addition to its contagious nature, yawning has been shown have a true circadian cycle in both humans and laboratory animals (Anías, et al., 1984; Geo, et al., 1993; Provine, et al. 1987).

## 4. Suggested Functions

Although overlooked in the human evolutionary literature, yawning has been used as a relavioral indicator of various types of experimental neurochemical interventions in laborature animals for quite a while. Since it is clear that yawning occurs in at least two vastly different contexts (true vs. emotional yawns), any discussion of the functional or evolutionary responses must keep these behavioral variants clearly separated. Table 1 lists the suggested functions of yawning behavior and distinguishes between true and emotional yawns. One of the interesting aspects of Table 1 is the conspicuous absence of empirical verification of any if the propositions about yawning [except for the work of Provine and his colleagues (1986, 187)].

194 SMITH

In spite of the lack of research into the evolutionary basis of yawning, many of the proximate mechanisms implicated in the behavior have been identified. A variety of studies have shown that cholinergic, dopaminergic as well as serotonergic systems are implicated in the induction of yawning in laboratory animals (Brown, et al., 1990, 1991; Mogilnicka & Klimek, 1977; Mogilnicka, Boissard & Delini-Stule, 1984; Urbá-Holmgren, Holmgren & Anias, 1982; Urbá-Holmgren, et al., 1979; Yamada & Furukawa, 1980; Zarrindast & Poursoltan, 1989; Zarrindast, Fatehi & Mohagheghi-Badi, 1995; Zarrindast, Toloui & Hashemi, 1995; Zarrindast, et al., 1995). While these studies have enhanced our knowledge of the brain mechanisms and neurochemical pathways implicated in yawning behavior, none have attempted to link these neural mechanisms to the behavior of free-ranging animals. We are therefore still left with no satisfactory empirical answer to our earlier question of the evolution of yawning.

Throughout this discussion we have assumed an evolutionary basis for such a widespread behavior like yawning. It is possible that yawning has no immediate adaptive value, and is merely a byproduct of selection for other types of behavior. This possibility seems unlikely, however, given its highly contagious nature. It is reasonable to expect that a behavior that elicits a similar behavior in conspecifics so frequently and with no intention by the yawner has been the object of strong selective pressure. One of the reasons why yawning may have been overlooked and investigated only on a limited basis is the perception that the costs and benefits of yawning are relatively trivial. This may not be the case, at least in some situations. Tesfaye and Lai (1990), Tesfaye, Skorzewska & Lai (1990), Warner & Warner (1990), and Lurie (1990) all note that the costs of yawning can be quite high and can result in subluxation of the lower jaw. Subluxation of the temporomandibular joint results in the jaw being locked open, deviated either left or right, often leaving the affected individual unable to speak. Certainly, in a minority of cases, yawning may be very costly.

The interesting question still remains, i.e. the ultimate causation of yawning. As previously noted, in nonhuman species, yawning seems to serve two distinctly different ends. While there are marked similarities between the yawns of humans and nonhuman primates, the functional differentiation of human yawns is not so clear. Did yawning originate as a direct response to some physiological process and then subsequently co—opted as signal of underlying emotional state? Did yawning arise as a communicatory act and subsequently associate with an entirely different underlying physiological process? It is unlikely that we will ever know the answer to these questions with any degree of certainty for either humans or nonhumans. What we are left with are a set of best guesses based on an examination of the behavior as it manifests itself in modern humans, coupled with comparative observations of other vertebrate species.

The most compelling characteristic of human yawning that calls for an evolutionary explanation is its contagious nature coupled with the absence of this contagion in other yawning species. These observations suggest that yawning in humans has evolved as a fitness enhancing behavior pattern. Identification of a precise function for yawning is difficult, but perhaps the coordination of activity, whether it is preparing for sleep, increasing alertness (Askenasy, 1989), warding off respiratory infection (McKenzie, 1994) or preventing alveoli collapse (Forrester, 1988) are among its most important and enduring features. Clearly, our understanding of yawning as a coordinated human behavior would benefit from additional research and this research would likely yield a clearer picture of its adaptive nature.

Table 1: Summary of Suggested Functions of Yawning

Function	Evidence	Reference
1. Increase alertness		Baenninger & Greco (1991); Baenninger, et al. (1996)
2. Decrease alertness		Lehmann (1979)
3. Signals change in behavior state	al	Greco, Baenninger, & Govern (1993)
Ensures proper articulation temperomandibular joint	Yawning observed in fetus in 1st trimester	de Vries, et al. (1982)
5. Opens eustachian tubes		Laskiewicz (1953)
6. Component of primal stretch	Yawning and stretching seem to co-occur least at some times	Provine, et al. (1987)
7. Indicator of hemorrhage		Nash (1942)
8. Indicator of motion sickness		Graybiel & Knepton (1976)
9. Indicator of encephalitis		Wilson (1940)
Marker of increased choline gic and peptidergic activity	r-	Dourish & Cooper (1990); Mogilnicka, et al. (1984)
11. Marker of decreased dopam ne activity	i-	Dourish & Cooper (1990); Gilbert (1988)
12. Behavioral assay of neurochemical activity	ACTH, apomorphine, catecholamine, estrogen, MSH, oxytocin, piribedil, physostigmine, pilocarpine, serotonin, & testosterone,	Anías, et al. (1984); Cowan (1978); Phoenix & Chambers (1982); Urba-Holmgren et al. (1979)
13. Prevents atelectasis		Cahill (1978)
14. Induces relaxation of soci tension in groups	al	Sauer & Sauer (1967)
15. Equilibrate CO <sub>2</sub> and/or O <sub>2</sub> levels in the blood	<b>3-</b>	Sauer & Sauer (1967)
<ol> <li>Early manifestation of vaso vagal reflex</li> </ol>	)-	Cronin (1988)
17. Correct imbalance in cerebral oxidative metabolism	<b>&gt;-</b> /	Lehmann (1979)
18. Renews surfactant film i	n	Forrester (1988)
19. Expression of boredom, un concern, or indifference	1-	Barbizet (1958); Baenninger & Greco (1991)
20. Evacuation of potentially in fectious substances from tor sils		McKenzie (1994)

### 5. References

- Alcock, J., 1993. Animal Behavior: An Evolutionary Approach. Sinauer, Sunderland, Mass.
- Alcock, J. & Sherman, P., 1994. The utility of the proximate-ultimate dichotomy in ethology. Ethology, 96: 58-62.
- Altmann, S.A., 1967. The structure of primate communication. In (S.A. Altmann, ed.) Social Communication Among Primates. pp. 325-362, University of Chicago Press, Chicago.
- Anderson, J.R. & Wunderlich, D., 1988. Food-reinforced yawning in Macaca tonkeana. American Journal of Primatology, 16: 165-169.
- Angst, W., 1975. Basic data and concepts on the social organization of Macaca fascicularis. In (L.A. Rosenblum, ed.) Primate Behavior: Developments In Field and Laboratory Research, Volume 4, pp. 325-388, Academic Press, New York.
- Anías, J., Holmgren, B., Urbá-Holmgren, R. & Eguíbar, J.R., 1984. Circadian variation of yawning. Acta Neurobiologiae Experimentalis, 44: 179-186.
- Askenasy, J.J., 1989. Is yawning an arousal defense reflex? Journal of Psychology, 123: 609-621.
- Baenninger, R. 1987. Some comparative aspects of yawning in Betta splendens, Homo sapiens, Panthero leo and Papio sphinx. Journal of Comparative Psychology, 101: 349-354.
- Baenninger, R. & Greco, M., 1991. Some antecedents and consequences of yawning. Psychological Record, 41: 453-460.
- Baenninger, R., Binkley, S. & Baenninger, M., 1996. Field observations of yawning and activity in humans. Physiology & Behavior, 59: 421-425.
- Baerends, G.P. & Baerends-van Roon, J.M., 1950. An Introduction to the Study of the Ecology of the Cichlid Fish. Behaviour, Supplement 1: 1-243.
- Barbizet, J., 1958. Yawning. Journal of Neurology, Neurosurgery & Psychiatry, 21: 203-209.
- Barlow, G.W., 1968. Ethological units of behavior. In (D. Ingle, ed.) Central Nervous System and Fish Behavior. pp. 217-232, University of Chicago Press, Chicago.
- Bekoff, M., 1974. Social play and play-soliciting in infant canids. American Zoologist, 14: 323-340.
- Bertrand, M., 1969. The Behavioral Repertoire of the Stumptail Macaque. S. Karger, Basel.
- Blin, O., Masson, G., Azulay, J.P., Fondarai, J. & Serratrice, G., 1990. Apomorphine-induced blinking and yawning in healthy volunteers. British Journal of Clinical Pharmacology, 30: 769-773.
- Bolwig, N., 1978. Communicative signals and social behaviour of some African monkeys: A comparative study. Primates, 19: 61-99.
- Brannigan, C.R. & Humphries, D.A., 1972. Human non-verbal behavior: A means of communication. In: (N. Blurton-Jones, ed.) Ethological Studies of Child Behaviour, pp. 37-64, Cambridge University Press, Cambridge.
- Brown, S.J., James, S., Redington, M. & Richardson, P.J., 1990. Both A<sub>1</sub> and A<sub>2a</sub> purine receptors regulate striatal acetylcholine release. Journal of Neuropharmacology, 55: 31
- Brown, S.J., James, S., Redington, M. & Richardson, P.J., 1991. Striatal A<sub>2</sub> receptor regulates apomorphine-induced turning in rats with unilateral dopamine denervation. Psychopharmacology, 103: 78-82.
- Cahill, A., 1978. Yawn maneuver to prevent atelectasis. Journal of the Association of Operating Room Nurses, 27: 1000-1004.
- Cowan, A., 1978. Cholinergic link in yawning. Nature, 271: 182-188.
- Cramer, D., 1924. Uber sodbrnnan and gähnen. Gastroenterogia Archiven für Verdaungschaft, 33: 149-162.
- Cronin, T.G., 1988. Yawning: An early manifestation of vasovagal reflex. American Journal of Roentgenology, 150: 209.
- Darwin, C., 1872. The expression of the emotions in man and animals. Murray, London.
- Darwin, C., 1987. Notebook M (1838). In: (P.H. Barrett, P.J. Gantrey, S. Herbert, D. Kohn & S. Smith, eds.)

  Charles Darwin's Notebooks 1836-1844, pp. 517-562, Cornell University Press, Ithaca, New York.
- de Vries, J.I.P., Visser, G.H.A., & Prechtl, H.F.R., 1982. The emergence of fetal behaviour. I. Qualitative aspects. Early Human Development, 7: 301-322.
- Delius, J.D., 1967. Displacement activities and arousal. Nature, 214: 1259-1260.
- Deputte, B.L. 1978. Étude du Baîllement chez Deux Espèces de Cercopithecidae, Cercocebus albigena albigena Gray et Macaca fascicularis Raffles: Recherché des Facteurs de Causalite et de Fonction. Mise en Évidence des Facteurs Socio-bioénergetiques. Universitat de Rennes, France.
- Deputte, B.L., 1994. Ethological study of yawning in primates. I. Quantitative analysis and study of causation in two species of old world monkeys (Cercocebus albigena and Macaca fascicularis). Ethology, 98: 221-245.
- Dourish, C.T. & Cooper, S. J., 1990. Neural basis of drug-induced yawning. In: (S.J. Cooper & C.T. Dourish, eds.) Neurobiology and Stereotyped Behaviour. pp. 91-116, Clarendon Press, New York.

- Egerman, R.S. & Emerson, D.S., 1996. A fetal yawn. New England Journal of Medicine, 335: 1497.
- Forrester, J.M., 1988. Is yawning a brainstem phenomenon? Lancet, 1(8585): 596.
- Gilbert, D., 1988. Is yawning a brainstem phenomenon? Lancet, 1(8585): 596.
- Graybiel, A. & Knepton, J., 1976. Sopita syndrome: A sometimes sole manifestation of motion sickness. Aviation, Space and Environmental Medicine, 47: 873-882.
- Greco, M., Baenninger, R. & Govern, J., 1993. On the contexts of yawning: When, where, and why? Psychological Record, 43: 175-183.
- Hadidian, J., 1980. Yawning in an Old World monkey, Macaca nigra (Primates: Cercopithecidae). Behaviour, 75: 133-147.
- Heusner, A.P., 1946. Yawning and associated phenomena. Physiological Reviews, 26: 156-168.
- Hinde, R.A. & Rowell, T.E., 1962. Communication by postures and facial expressions in the rhesus monkey (Macaca mulatta). Proceedings of the Zoological Society of London, 138: 1-21.
- Laskiewicz, A., 1953. Yawning with regard to the respiratory organs and the ear. Acta Otolaryngologica, 43: 267-270.
- Lehmann, H.E., 1979. Yawning: A homeostatic reflex and its psychological significance. Bulletin of the Menninger Clinic, 43:123-136.
- Leyhausen, P., 1979. Cat Behavior. Garland, New York.
- Lorenz, K., 1954. The comparative method in studying innate behaviour patterns. Symposium of the Society for Experimental Biology, 4: 221-268.
- Lorenz, K. & Tinbergen, N., 1938. Taxis und instinkthandlung in der eiroltbewegung der Graugans. Zeitschrift für Tierpsychologie, 2: 1-29.
- Lurie, R.G., 1990. The hazards of yawning. Canadian Medical Association Journal, 142: 533.
- Marieb, E.N., 1995. Human Anatomy and Physiology. Benjamin/Cummings, Menlo Park, California.
- McCutcheon, F., 1970. Stimulation, control and phylogenetic projection of the teleostean reflex. Comparative Biochemistry and Physiology A -Comparative Physiology, 34: 339-344.
- McKenzie, A.A., 1994. The tonsillar evacuation hypothesis of yawning behaviour. South African Journal of Science Suid-Afrikaanse Tydskrif vir Wetenskap, 90: 64-66.
- McManus, B., Devine, P. & Brandstetter, R.D., 1997. A fetal yawn? New England Journal of Medicine, 336: 1329-1330.
- Mogilnicka, E., Boissard, C.G. & Delini-Stule, A., 1984. Effects of apomorphine, TL-99, and 3-ppp on yawning in rats. Neuropharmacology, 23: 19-22.
- Mogilnicka, E. & Klimek, V., 1977. Drugs affecting dopamine neurons and yawning behavior. Pharmacology Biochemistry and Behavior, 7: 303-305.
- Moore, J.E., 1942. Some psychological aspects of yawning. Journal of General Psychiatry, 27: 289-294.
- Morris, D., 1954. The reproductive behaviour of the zebra finch (Poephilla guttata), with special reference to psuedofemale behaviour and displacement activities. Behaviour, 6: 271-322.
- Nash, J., 1942. Surgical Physiology. Charles C. Thomas, New York.
- Peiper, A., 1932. Das gähnen. Deutsche Medizinische Wochenschrift, 58: 693-697.
- Phoenix, C.H. & Chambers, K.C. 1982. Sexual behavior in adult gonadectomized female pseudohermaphrodite, female, and male rhesus macaques treated with estradiol benzoate and testosterone proprionate. Journal of Comparative and Physiological Psychology, 96: 823-833.
- Provine, R.R. 1986. Yawning as a stereotyped action pattern and releasing stimulus. Ethology formerly Zeitschrift für Tierpsychologie, 72: 109-122.
- Provine, R.R., 1989a. Faces as releasers of contagious yawning: An approach to face detection using normal human subjects. Bulletin of the Psychonomic Society, 27: 211-214.
- Provine, R.R., 1989b. Contagious yawning and infant imitation. Bulletin of the Psychonomic Society, 27: 125-126.
- Provine, R.R., 1996. Contagious yawning and laughter: Significance for sensory feature detection, motor pattern generation, imitation, and the evolution of social behavior. In: (C.M. Heyes & B. G. Galef, eds.) Social Learning in Animals: The Roots of Culture, pp. 179-208, Academic Press, New York.
- Provine, R.R. & Hamernik, H.B., 1986. Yawning: Effects of stimulus interest. Bulletin of the Psychonomic Society, 24: 437-438.
- Provine, R.R., Hamernik, H.B. & Curchack, B.C., 1987. Yawning: Relation to sleeping and stretching in humans. Ethology, 76: 152-160.
- Provine, R.R., Tate, B.C. & Geldmacher, L.L., 1987. Yawning: No effect of 3-5% CO<sub>2</sub>, 100% O<sub>2</sub>, and exercise. Behavioral and Neural Biology, 48: 382-393.
- Rasa, O.A.E., 1971. The causal factors and the function of 'yawning' in Microspathodon chrysurus (Pisces: Pomacentridae). Behaviour, 39: 39-57.

- Redican, W.K. 1975. Facial expressions in nonhuman primates. In (L.A. Rosenblum, ed.) Primate Behavior: Developments In Field and Laboratory Research, Volume 4. pp. 103-194, Academic Press, New York.
- Sauer, E.G.F. & Sauer, E.M., 1967. Yawning and other maintenance activities in the South African ostrich. Auk, 84: 571-587.
- Scott, J.P., 1950. Methodology and techniques for the study of animal societies. Annals of the New York Academy of Sciences, 51: 1001-1122.
- Scucchi, S., Maestripieri, D. & Schino, G., 1991. Conflict, displacement activities, and menstrual cycle in long-tailed macaques. Primates, 32: 115-118.
- Sepulveda, W. & Mangiamarchi, M., 1995. Fetal yawning. Ultrasound, Obstetrics & Gynecology, 5: 57-59.
- Sherer, D.M. & Smith, S.A., 1991. Fetal yawning in utero at 20 weeks gestation. Journal of Ultrasound Medicine, 10: 68.
- Slater, P.J.B. 1978. Data collection. In (P.W. Colgan, ed.) Quantitative Ethology. pp. 7-24, John Wiley, New York.
- Tesfaye Y. & Lal, S., 1990. Hazard of yawning. Canadian Medical Association Journal, 142:15.
- Tesfaye, Y., Skorzewska, A. & Lal, S., 1991. Hazard of yawning. Canadian Medical Association Journal, 145: 1560.
- Urbá-Holmgren, R., Holmgren, B. & Anias, J. 1982. Pre- and post-synaptic dopaminergic receptors involved in apomorphine-induced yawning. Acta Neurobiologiae Experimentalis, 42: 115-125.
- Urbá-Holmgren, R., Holmgren, B., Rodreguez, R. & González, R.M., 1979. Serotonergic modulation of yawning. Pharmacology Biochemistry and Behavior, 11: 371-372.
- van Hooff, J.A.R.A.M., 1967. The facial displays of the catarrhine monkeys and apes. In (D. Morris, ed.)

  Primate Ethology. pp. 9-88, University of Chicago Press, Chicago.
- van Lawick-Goodall, I., 1968. A preliminary report on expressive movements and communication in the Gombe Stream chimpanzees. In (P.C. Jay, ed.). Primates: Studies In Adaptation and Variability, pp. 313-374, Holt, Rinehart, & Winston, New York.
- Warner, E. & Warner, L., 1990. Hazard of yawning. Canadian Medical Association Journal, 142: 533.
- Wilson, S.A.K., 1940. Yawning. In (A.N. Bruce, ed.) Textbook of Neurology. Volumes 1 & II., pp. 121, 1223, 1507, Williams & Wilkins, New York.
- Wolfheim, J.H. & Rowell, T.E., 1972. Communication among captive talapoin monkeys (Miopithecus talapoin). Folia Primatologica, 18: 224-255.
- Yamada, K. & Furukawa, T., 1980. Direct evidence for involvement of dopaminergic inhibition and cholinergic activation in yawning. Psychopharmacology, 67: 39-43.
- Zarrindast, M.R. & Poursoltan, M., 1989. Interaction of drugs acting on central dopamine receptors and cholinoceptors on yawning responses in the rat induced by apomorphine, bromocriptine or physostigmine. British Journal of Pharmacology, 96: 843-848.
- Zarrindast, M.-R., Adeli, R., Hosseini-Semnani, S. & Sharifzadeh, M. 1995. Effects of adenosine receptor agonists and antagonists on physostigmine-induced yawning. European Journal of Pharmacology, 276: 3-7.
- Zarrindast, M.-R., Fatehi, F. & Mohagheghi-Badi, M., 1995. Effects of adenosine agents on apomorphine-induced yawning in rats. Psychopharmacology, 122: 292-296.
- Zarrindast, M.-R., Toloui, V. & Hashemi, B., 1995. Effects of GABAergic drugs on physostigmine induced yawning in rats. Psychopharmacology, 122: 297-300.